

## Author Index

Albrecht, J., see Mullaney, K.J. (75) 261  
Almström, S., see Giacobini, M.M.J. (75) 65  
Amberger, A., see Bauer, H.C. (75) 269  
Anguelova, E., see Laurent-Huck, F.M. (75) 45  
Arce, E.A., see Crissman, R.S. (75) 131  
Aschner, M., see Mullaney, K.J. (75) 261

Bäckström, A., see Williams, R. (75) 235  
Banks, W.A., see Harrison, L.M. (75) 207  
Barnea, G., see Canoll, P.D. (75) 293  
Bauer, H., see Bauer, H.C. (75) 269  
Bauer, H.C., Bauer, H., Lametschandtnr., A., Amberger, A., Ruiz, P. and Steiner, M.  
Neovascularization and the appearance of morphological characteristics of the blood-brain barrier in the embryonic mouse central nervous system (75) 269  
Bennett-Clarke, C.A., see Crissman, R.S. (75) 131  
Bernd, P., see Speight, J.L. (75) 55  
Bidanset, D.J., see Geisert Jr., E.E. (75) 163  
Biroc, S.L., Payan, D.G. and Fisher, J.M.  
Isoforms of agrin are widely expressed in the developing rat and may function as protease inhibitors (75) 119  
Boja, J.W., see Brouard, A. (75) 13  
Bovolin, P., see Zheng, T. (75) 91  
Brouard, A., Pelaprat, D., Boja, J.W., Carroll, F.L., Vial, M., Kuhar, M.J. and Rossette, W.  
Potent cocaine analogs inhibit [<sup>3</sup>H]dopamine uptake in rat mesencephalic cells in primary cultures: pharmacological selectivity of embryonic cocaine sites (75) 13

Calvet, M.-C., see Levallois, C. (75) 141  
Canoll, P.D., Barnea, G., Levy, J.B., Sap, J., Ehrlich, M., Silvennoinen, O., Schlessinger, J. and Musacchio, J.M.  
The expression of a novel receptor-type tyrosine phosphatase suggests a role in morphogenesis and plasticity of the nervous system (75) 293  
Cao, Y., see Giacobini, M.M.J. (75) 65  
Carroll, F.L., see Brouard, A. (75) 13  
Castro, A.J., see O'Keefe, J.A. (75) 105  
Chang, H.J., see Satoh, J.-i. (75) 201  
Cho, J.M., see Satoh, J.-i. (75) 201  
Collado, P., Valencia, A., Del Abril, A., Rodríguez-Zafra, M., Pérez-Laso, C., Segovia, S. and Guillamón, A.  
Effects of estradiol on the development of sexual dimorphism in the bed nucleus of the accessory olfactory tract in the rat (75) 285  
Crissman, R.S., Arce, E.A., Bennett-Clarke, C.A., Mooney, R.D. and Rhoades, R.W.  
Reduction in the percentage of serotonergic axons making synapses during the development of the superficial layers of the hamster's superior colliculus (75) 131

De Carlos, J.A., see Schlaggar, B.L. (75) 19  
Del Abril, A., see Collado, P. (75) 285  
Denavit-Saubié, M., see Salès, N. (75) 113

Ebendal, T., see Williams, R. (75) 235  
Ehrlich, M., see Canoll, P.D. (75) 293

Felix, J.M., see Laurent-Huck, F.M. (75) 45  
Fisher, J.M., see Biroc, S.L. (75) 119  
Fix, A.S., Schoepp, D.D., Olney, J.W., Vestre, W.A., Griffey, K.I., Johnson, J.A. and Tizzano, J.P.  
Neonatal exposure to D,L-2-amino-3-phosphonopropionate (D,L-AP3) produces lesions in the eye and optic nerve of adult rats (75) 223  
Fukui, M., see Ohta, M. (75) 151

Geisert Jr., E.E. and Bidanset, D.J.  
A central nervous system keratan sulfate proteoglycan: localization to boundaries in the neonatal rat brain (75) 163  
Ghilini, G., see Salès, N. (75) 113  
Giacobini, M.M.J., Strömberg, I., Almström, S., Cao, Y. and Olson, L.  
Fibroblast growth factors enhance dopaminergic fiber formation from nigral grafts (75) 65  
Grayson, D.R., see Zheng, T. (75) 91  
Griffey, K.I., see Fix, A.S. (75) 223  
Guillamón, A., see Collado, P. (75) 285

Hallböök, F., see Williams, R. (75) 235  
Handa, R.J., see O'Keefe, J.A. (75) 105  
Hankin, M., Sefton, A.J. and Lund, R.D.  
Transient outgrowth from retinal implants in the neonatal rat cerebral cortex (75) 146  
Harrison, L.M., Zadina, J.E., Banks, W.A. and Kastin, A.J.  
Effects of neonatal treatment with Tyr-MIF-1, morphiceptin, and morphine on development, tail flick, and blood-brain barrier transport (75) 207  
Hyndman, A.G.  
Identification of a population of amarcine cells rich in insulin receptors (75) 289

Iwaki, T., see Ohta, M. (75) 151

Johnson, J.A., see Fix, A.S. (75) 223

Kastin, A.J., see Harrison, L.M. (75) 207  
Kim, S.T., see Satoh, J.-i. (75) 201  
Kim, S.U., see Satoh, J.-i. (75) 201  
Kimber, T.A., see Shults, C.W. (75) 136  
Kimmelberg, H.K., see Mullaney, K.J. (75) 261  
Kitamoto, T., see Ohta, M. (75) 151

Kohsaka, S., see Nagata, K. (75) 31  
Köläre, S., see Sundström, E. (75) 1  
Kuhar, M.J., see Brouard, A. (75) 13

Lametschandtnr., A., see Bauer, H.C. (75) 269  
Laurent-Huck, F.M., Anguelova, E., Rene, F., Stoeckel, M.E. and Felix, J.M.  
Ontogeny of prodynorphin gene expression in the rat hypothalamus (75) 45  
Levallois, C., Calvet, M.-C. and Petit, D.  
Immunocytochemical demonstration of monoamine-containing cells in human fetal brain stem dissociated cultures (75) 141  
Levine, S., see Sacheck, D. (75) 185  
LeVine, S.M. and Torres, M.V.  
Satellite oligodendrocytes and myelin are displaced in the cortex of the reeler mouse (75) 279  
Levy, J.B., see Canoll, P.D. (75) 293  
Lipska, B.K. and Weinberger, D.R.  
Delayed effects of neonatal hippocampal damage on haloperidol-induced catalepsy and apomorphine-induced stereotypic behaviors in the rat (75) 213  
Lund, R.D., see Hankin, M. (75) 146  
Lunell, N.-O., see Sundström, E. (75) 1

Marlér, L.N.J.-L., see Zheng, T. (75) 91  
Martin, G.F., see Qin, Y.Q. (75) 75  
Matsuno, T. and Nakamura, H.  
Plasticity of avian mesencephalic polarity revealed by trajectories of tectofugal axons (75) 39  
Mooney, R.D., see Crissman, R.S. (75) 131  
Moretto, G., see Satoh, J.-i. (75) 201  
Moshé, S.L., see Velíšek, L. (75) 253  
Mullaney, K.J., Vitarella, D., Albrecht, J., Kimmelberg, H.K. and Aschner, M.  
Stimulation of D-aspartate efflux by mercuric chloride from rat primary astrocyte cultures (75) 261  
Muramatsu, H., see Satoh, J.-i. (75) 201  
Muramatsu, T., see Satoh, J.-i. (75) 201  
Musacchio, J.M., see Canoll, P.D. (75) 293

Nagata, K., Nakajima, K. and Kohsaka, S.  
Plasminogen promotes the development of rat mesencephalic dopaminergic neurons in vitro (75) 31  
Nakajima, K., see Nagata, K. (75) 31  
Nakamura, H., see Matsuno, T. (75) 39

Ohgami, T., see Ohta, M. (75) 151  
Ohta, M., Kitamoto, T., Iwaki, T., Ohgami, T., Fukui, M. and Tateishi, J.  
Immunohistochemical distribution of amyloid precursor protein during normal rat development (75) 151  
O'Keefe, J.A., Pedersen, E.B., Castro, A.J. and Handa, R.J.

The ontogeny of estrogen receptors in heterochronic hippocampal and neocortical transplants demonstrates an intrinsic developmental program (75) 105

O'Leary, D.D.M., see Schlaggar, B.L. (75) 19

Olney, J.W., see Fix, A.S. (75) 223

Olson, L., see Giacobini, M.M.J. (75) 65

Payan, D.G., see Biroc, S.L. (75) 119

Pedersen, E.B., see O'Keefe, J.A. (75) 105

Pelaprat, D., see Brouard, A. (75) 13

Pérez-Laso, C., see Collado, P. (75) 285

Petite, D., see Levallois, C. (75) 141

Pollard, I., see Wilkinson, J.M. (75) 193

Pschera, H., see Sundström, E. (75) 1

Qin, Y.Q., Wang, X.M. and Martin, G.F. The early development of major projections from caudal levels of the spinal cord to the brainstem and cerebellum in the gray short-tailed Brazilian opossum, *Monodelphis domestica* (75) 75

Rene, F., see Laurent-Huck, F.M. (75) 45

Rhoades, R.W., see Crissman, R.S. (75) 131

Rodríguez-Zafra, M., see Collado, P. (75) 285

Rosenfeld, P., see Sacheck, D. (75) 185

Rostene, W., see Brouard, A. (75) 13

Rozenberg, I., see Speight, J.L. (75) 55

Ruiz, P., see Bauer, H.C. (75) 269

Salès, N., Ghilini, G. and Denavit-Saubié, M. Autoradiographic localisation of NMDA binding sites in brainstem cardiorespiratory areas of adult and newborn cats (75) 113

Samuelsson, E.-B., see Sundström, E. (75) 1

Santi, M.-R., see Zheng, T. (75) 91

Sap, J., see Canoll, P.D. (75) 293

Satoh, J.-i., Muramatsu, H., Moretto, G., Muramatsu, T., Chang, H.J., Kim, S.T., Cho, J.M. and Kim, S.U. Midkine that promotes survival of fetal human neurons is produced by fetal human astrocytes in culture (75) 201

Schlaggar, B.L., De Carlos, J.A. and O'Leary, D.D.M. Acetylcholinesterase as an early marker of the differentiation of dorsal thalamus in embryonic rats (75) 19

Schlessinger, J., see Canoll, P.D. (75) 293

Schoepp, D.D., see Fix, A.S. (75) 223

Scott, S.A. Ontogeny, characterization and trophic dependence of AC4/anti-SSEA-1-positive sensory neurons in the chick (75) 175

Sefton, A.J., see Hankin, M. (75) 146

Segovia, S., see Collado, P. (75) 285

Seiger, Å., see Sundström, E. (75) 1

Shults, C.W. and Kimber, T.A. Thy-1 immunoreactivity distinguishes patches/striosomes from matrix in the early postnatal striatum of the rat (75) 136

Silvennoinen, O., see Canoll, P.D. (75) 293

Souverbie, F., see Sundström, E. (75) 1

Speight, J.L., Yao, L., Rozenberg, I. and Bernd, P. Early embryonic quail dorsal root ganglia exhibit high affinity nerve growth factor binding and NGF responsiveness – absence of NGF receptors on migrating neural crest cells (75) 55

Stanton, P.K., see Veltsek, L. (75) 253

Steiner, M., see Bauer, H.C. (75) 269

Stoeckel, M.E., see Laurent-Huck, F.M. (75) 45

Strömbärg, I., see Giacobini, M.M.J. (75) 65

Sacheck, D., Rosenfeld, P. and Levine, S. Maternal regulation of the hypothalamic-pituitary-adrenal axis in the infant rat: the roles of feeding and stroking (75) 185

Sundström, E., Kölare, S., Souverbie, F., Samuelsson, E.-B., Pschera, H., Lunell, N.-O. and Seiger, Å. Neurochemical differentiation of human bulbospinal monoaminergic neurons during the first trimester (75) 1

Tateishi, J., see Ohta, M. (75) 151

Tizzano, J.P., see Fix, A.S. (75) 223

Torres, M.V., see LeVine, S.M. (75) 279

Valencia, A., see Collado, P. (75) 285

Veltsek, L., Moshé, S.L. and Stanton, P.K. Age dependence of homosynaptic non-NMDA mediated long-term depression in field CA1 of rat hippocampal slices (75) 253

Vestre, W.A., see Fix, A.S. (75) 223

Vial, M., see Brouard, A. (75) 13

Vitarella, D., see Mullaney, K.J. (75) 261

Wang, X.M., see Qin, Y.Q. (75) 75

Weinberger, D.R., see Lipska, B.K. (75) 213

Wilkinson, J.M. and Pollard, I. Accumulation of theophylline, theobromine and paraxanthine in the fetal rat brain following a single oral dose of caffeine (75) 193

Williams, R., Bäckström, A., Ebendal, T. and Hallböök, F. Molecular cloning and cellular localization of *trkB* in the chicken embryo (75) 235

Yao, L., see Speight, J.L. (75) 55

Zadina, J.E., see Harrison, L.M. (75) 207

Zheng, T., Santi, M.-R., Bovolin, P., Marlier, L.N.J.-L. and Grayson, D.R. Developmental expression of the  $\alpha 6$  GABA<sub>A</sub> receptor subunit mRNA occurs only after cerebellar granule cell migration (75) 91

